
Eaton 706REUR-00

Catalog Number: 706REUR-00

868.6625 MHz Double push lock, belt mounted, secondary tilt sensor ('man down') channel



Product Name

Eaton hold up device (HUD) / panic

alarm button

Product Length/Depth

27 mm

Product Width

44 mm

Certifications

CE marking

Catalog Number

706REUR-00

EAN

5060096851240

Product Height

165 mm

Product Weight

0.1 kg



defaultTaxonomyAttributeLabel

Alarm outputs

Not applicable

Code length (bit) 16 Compliance EN50131 grade 2 Current Battery Device type Hold-up device **Enclosure Colour** Grey **Enclosure material** Plastic Flush-mounted radio transmitter No Free space radio range 900 m Internal aerial Yes Keyboard protection cover No LED indicator 1 Manual radio transmitter Yes Operating humidity - max 95 % Modulation FΜ Number of commands Operating temperature - max 55 °C

Operating temperature - min

Resources

Catalogues

Hold up device (706) - Declaration of conformity

Hold up device (705) - Declaration of conformity

Residential and commercial security systems catalogue

705, 706, 710 and 726 Hold up devices catalogue page

Hold up device (710) - Declaration of conformity

Hold up devices (705, 706, 710 and 726) - Datasheet

Scantronic radio devices battery list

Hold up device (726) - Declaration of conformity

-10 °C

Programming display

No

Radio coding device

No

Radio frequency

868.6625 Mega Hertz

Replacement battery code

1-345276

Rolling code system

No

Surface mounted radio transmitter

No

Transmission power

10

Typical battery life

60 monthly

Battery quantity

1

Degree of protection

IP Other

Mounting Method

Worn by user



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia