

Eaton 726REUR-50

Catalog Number: 726REUR-50

868.6625 MHz Double push lock, belt mounted, single channel radio HUA, long range



General specifications

Product Name	Catalog Number
Eaton hold up device (HUD) / panic alarm button	726REUR-50
	EAN
	5060096851301
Product Length/Depth	Product Height
27 mm	165 mm
Product Width	Product Weight
44 mm	0.1 kg
Certifications	
CE marking	

defaultTaxonomyAttributeLabel

Alarm outputs

Not applicable

Code length (bit)

16

Compliance

EN50131 grade 2

Current

Battery

Device type

Hold-up device

Enclosure Colour

Grey

Enclosure material

Plastic

Flush-mounted radio transmitter

No

Free space radio range

1000 m

Internal aerial

Yes

Keyboard protection cover

No

LED indicator

1

Manual radio transmitter

Yes

Operating humidity - max

95 %

Modulation

FM

Number of commands

1

Operating temperature - max

55 °C

Operating temperature - min

Resources

Catalogues

[Hold up device \(706\) - Declaration of conformity](#)

[Residential and commercial security systems catalogue](#)

[Hold up device \(705\) - Declaration of conformity](#)

[705, 706, 710 and 726 Hold up devices catalogue page](#)

[Hold up device \(710\) - Declaration of conformity](#)

[Hold up devices \(705, 706, 710 and 726\) - Datasheet](#)

[Scantronic radio devices battery list](#)

[Hold up device \(726\) - Declaration of conformity](#)

-10 °C

Programming display

No

Radio coding device

No

Radio frequency

868.6625 Mega Hertz

Replacement battery code

1-345276

Rolling code system

No

Surface mounted radio transmitter

No

Transmission power

10

Typical battery life

60 monthly

Battery quantity

1

Degree of protection

IP Other

Mounting Method

Worn by user



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)