

Eaton 739REUR-50

Catalog Number: 739REUR-50

Glass break, Radio, Plastic, Brown

General specifications



Product Name	Eaton glass break detector	Catalog Number	739REUR-50
EAN	5060096851417	Product Length/Depth	44 mm
Product Height	78 mm	Product Width	107 mm
Product Weight	0.15 kg	Certifications	CE marking

defaultTaxonomyAttributeLabel

Channels

1

Compliance

Independently certified to EN50131

Connection

Radio

Free space radio range

800 m

Operating humidity - max

95 %

Monitoring radius

0 m

Operating temperature - max

55 °C

Operating temperature - min

-10 °C

Pet tolerant

Not applicable

Power supply

3 V

Type of detector

Glass break

Replacement battery code

1-345346 / 3v CR2

Tamper protection

Yes

Transmission power

10 mW

Type of messaging

Acoustic glass-breakage indicator

Typical battery life

24 monthly

VdS

None

Battery type

Resources

Catalogues

[739 Acoustic break glass detector EC declaration of conformity](#)

[Residential and commercial security systems catalogue](#)

[739 Acoustic break glass detector datasheet](#)

[Scantronic radio devices battery list](#)

3V CR123

Battery quantity

1

Color

Other

Mounting Method

Surface



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)