
Eaton KEY-RKPZ

Catalog Number: KEY-RKPZ





General specifications

Product Name	Cata
Eaton surface mounted keypad for	ΚEΥ
intruder system	EAN 506
Product Length/Depth	Proc
35 mm	128
Product Width 128 mm	Proc 0.32

Certifications CE marking Catalog Number KEY-RKPZ EAN 5060096853763

Product Height 128 mm

Product Weight 0.32 kg



defaultTaxonomyAttributeLabel

Туре

Keypad

Battery quantity

3

Battery type

AA Alkaline

Colour

White

Colour (ETIM)

White

Current - max

70

Current normal

15

EN 50131 Grade

3

Environmental class

2

Expansion panel

No

Mounting Method Surface mounting

Number of groups

2

Operating temperature - max 55 °C

Operating temperature - min -10 °C

Radio frequency

868 Mega Hertz

Radio range free space 300 m

Touch panel

No

Type of control device

Resources

Catalogs

KEY-RKPZ Two-way keypad - Datasheet i-KP01 Keypad - Datasheet i-kp01 Wired keypad - Declaration of conformity i-RK01 and i-KP01 Entry level keypads - Datasheet KEY-KPZ01 Keypad - Declaration of conformity KEY-RKBS Keypad base station - Declaration of conformity KEY-K01, KEY-KP01 and KEY-KPZ01 Keypads - Datasheet Residential and commercial security systems catalogue KEY-RKPZ Keypad - Declaration of conformity Scantronic radio devices battery list

Keypad

VdS Class

None

With LCD Indication

Yes

With LED indication

Yes

Zone inputs

2



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia