Eaton SDR-REXT-G2-BL-NC

Catalog Number: SDR-REXT-G2-BL-NC

Eaton external burglar alarm siren, Sounder external radio blue lens no cover

General specifications

Product Name Catalog Number

Eaton external burglar alarm siren SDR-REXT-G2-BL-NC

EAN Product Length/Depth

5060096853923 80 mm

Product Height Product Width 300 mm 280 mm

Product Weight Compliances

1.5 kg CE marking



Product specifications

Operating humidity - max

95 %

Degree of protection (NEMA)

Other

Compliance

Independently certified to EN50131 & INCERT

Operating temperature - min

-25 °C

Remote self test function

No

Supply

6 V

Mounting Method (ETIM)

Surface mount

Current normal

0.25 mA

Enclosure/lens color

Blue

Low-volume mode

Yes

Built-in transformer

Yes

Typical battery life

24 monthly

Radio frequency

868.6625MHz

Operating temperature - max

60 °C

Replacement battery code

SDR-R-BAT1

Degree of protection (IP)

IP65

EN 50131 Security Grade

2

Type Of Tone

Resources

Catalogues

Sounder free printing service (Process for distributors)

External siren - Declaration of conformity

External siren - Datasheet

Sounder free printing service (Process for installers)

Scantronic radio devices battery list

External siren flyer

Residential and commercial security systems catalogue

Multi-tone

Type Of Tone (ETIM)

Fast beat

Electricity consumption

0 A

Cut-off period

Choose 5 secs, 3 mins or (default) 15 mins

Connection

Radio

Type of current

DC

Housing material

Plastic

Sounder output

100 dB

Sounder type

External

Enclosure material

ABS (cover) Polycarbonate (lens)

Free space radio range

500 m

Environmental class

Class IV



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2023 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia