

# Eaton SDR-RINT

Catalog Number: SDR-RINT

Eaton internal intruder alarm sounder, Radio Internal Sounder white



## General specifications

Product Name	Catalog Number
Eaton internal intruder alarm sounder	SDR-RINT
EAN	Product Length/Depth
5060096853916	50 mm
Product Height	Product Width
127 mm	127 mm
Product Weight	Compliances
0.27 kg	CE marking

## defaultTaxonomyAttributeLabel

### Built-in transformer

No

### Compliance

Independently certified to EN50131 & INCERT

### Connection

Radio

### Current normal

0.03 mA

### Cut-off period

Auto-silences after 3 minutes if powered only by batteries

### EN 50131 Security Grade

2

### Enclosure/lens color

White

### Enclosure material

ABS (cover) Polycarbonate (lens)

### Environmental class

Not applicable

### Free space radio range

500 m

### Low-volume mode

Yes

### Operating humidity - max

95 %

### Operating temperature - max

55 °C

### Operating temperature - min

-10 °C

### Radio frequency

868.6625MHz

### Remote self test function

No

### Replacement battery code

4 x AA Alkaline

### Sounder output

## Resources

### Catalogues

[Wireless speaker - Datasheet](#)

[Residential and commercial security systems catalogue](#)

### PEP Eco-passport

[EATO-00038-V01.01-EN](#)

80 dB

Sounder type

Internal

Supply

6 V

Type of current

DC

Type Of Tone

Multi-tone

Typical battery life

12 monthly

Degree of protection (IP)

Other

Degree of protection (NEMA)

Other

Electricity consumption

0.03 A

Housing material

Plastic

Mounting Method (ETIM)

Surface mount

Type Of Tone (ETIM)

Other



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)