

Eaton SDR-WEXT-G3-OR

Catalog Number: SDR-WEXT-G3-OR

Eaton external burglar alarm siren, Sounder external wired G3 orange lens

General specifications

Product Name	Catalog Number
Eaton external burglar alarm siren	SDR-WEXT-G3-OR
EAN	Product Length/Depth
5060096853725	80 mm
Product Height	Product Width
300 mm	280 mm
Product Weight	Compliances
1.23 kg	CE marking

Product specifications

Operating humidity - max

95 %

Degree of protection (NEMA)

Other

Compliance

Independently certified to EN50131 & INCERT

Operating temperature - min

-25 °C

Remote self test function

Yes

Supply

13.7 V

Mounting Method (ETIM)

Surface mount

Current normal

0.035 mA

Enclosure/lens color

Orange

Low-volume mode

Yes

Built-in transformer

Yes

Typical battery life

60 monthly

Radio frequency

Not applicable

Operating temperature - max

60 °C

Replacement battery code

SDR-W-BAT2

Degree of protection (IP)

IP65

EN 50131 Security Grade

3

Type Of Tone

Resources

Catalogues

[External siren - Datasheet](#)

[Sounder free printing service \(Process for installers\)](#)

[External siren flyer](#)

[Scantronic radio devices battery list](#)

[Residential and commercial security systems catalogue](#)

[Sounder free printing service \(Process for distributors\)](#)

[External siren - Declaration of conformity](#)

Multi-tone

Type Of Tone (ETIM)

Fast beat

Electricity consumption

0.35 A

Cut-off period

Choose 5 secs, 3 mins or (default) 15 mins

Connection

Wired

Type of current

DC

Housing material

Plastic

Sounder output

100 dB

Sounder type

External

Enclosure material

ABS (cover) Polycarbonate (lens)

Environmental class

Class IV



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)